

Accessorone	Fluid	33	50
Acetanilid, Bromide & Codeine Compound	Elix	42	50
Acetanilid & Bromide Compound	Elix	20-2	
Acetanilid Compound	Elix	05	39
Acid Carbohc, Nutgall & Atropine Compound	Oint	42	50
Acid Carbohc, Opium & Nutgall Compound	Oint	05-14	29-50
Aconite Leaves	Extr	97-09	
Aconite Leaves	FE	97	23
Aconite Leaves	To	99	23
Aconite Root	Extr	97-09	
Aconite (Root)	FE	97	48
Aconite (Root)	To	99	50
A-D Vitamin Drops	Fluid		46 only
Agrimony	FE	00-14	
Aletris	FE	99	42
Aletris Compound	Elix	00	39
Aletris & Helonias Compound	Elix	42	50
Alkaline	Elix	05	39
Alkaline Aromatic	Soln.	39	46
Alkaline with Ipecac	Elix	42	6
Allantoin Compound	Oint	42	50
Aloe	Extr	97-09	
Aloe (Barbadoes)	FE	00-14	
Aloe (Aloe Perryi)	FE	99	42
Aloe	To	05	42
Aloe & Myrrh	FE	99	14
Aloe & Myrrh	To	10-4	
Aloe & Rue Compound	Elix	10	46
Althea (Marshmallow)	FE	01	33
Aluminum Hydroxide Gel	Fluid	42	50
American Ivy	FE	99	14
American Sarsaparilla	FE	99	23
Aminopyrine	Elix	42	only
Aminopyrine & Phenobarbital Compound	Elix	36	50
Ammonia Aromatic	Spirit	14	50
Ammonium Bromide	Elix	99	22
Ammonium Hypophosphite	Syr	22	42
Ammonium Mandelate	Syr	42	48
Ammonium Valerate	Elix	99	48
Ammonium Valerate & Morphine	Elix	99	14
Ammonium Valerate & Quinine	Elix	99	22

Ammonium Valerate, Quinine and Strychnine \_\_\_\_\_  
 Ammonium Valerate and Strychnine \_\_\_\_\_  
 Analgesic Balm \_\_\_\_\_  
 Angelica Root \_\_\_\_\_  
 Angelica Seed \_\_\_\_\_  
 Anise (Seed) \_\_\_\_\_  
 Anise \_\_\_\_\_  
 Anti-Malarial \_\_\_\_\_  
 Antimony \_\_\_\_\_  
 Anti-rheumatic \_\_\_\_\_  
 Apocynum \_\_\_\_\_  
 Aralia Compound \_\_\_\_\_  
 Areca Nut \_\_\_\_\_  
 Arnica (Flowers) \_\_\_\_\_  
 Arnica Root \_\_\_\_\_  
 Arnica \_\_\_\_\_  
 Aromatic \_\_\_\_\_  
 Aromatic, Red \_\_\_\_\_  
 Arsenous and Mercuric Iodide \_\_\_\_\_  
 Asafetida \_\_\_\_\_  
 Asafetida \_\_\_\_\_  
 Asarum \_\_\_\_\_  
 Asclepias \_\_\_\_\_  
 Asparagus Root \_\_\_\_\_  
 Atropine Alkaloid,  $\frac{1}{2}$  % \_\_\_\_\_  
 Atropine and Bichloride \_\_\_\_\_  
 Atropine Sulfate, 1 % \_\_\_\_\_  
 Atropine Sulfate, 2% Boric Acid, 5% \_\_\_\_\_  
 Avena Sativa (Oats) \_\_\_\_\_

Elix \_\_\_\_\_99-----22  
 Elix \_\_\_\_\_99-----22  
 Oint \_\_\_\_\_33-----50  
 FE \_\_\_\_\_99-----14  
 FE \_\_\_\_\_99-----14  
 FE \_\_\_\_\_99-----10  
 Elix \_\_\_\_\_99-----14  
 Elix \_\_\_\_\_20--28  
 Wine \_\_\_\_\_14 only  
 Cordial \_\_\_\_\_99---09  
 FE \_\_\_\_\_97-----42  
 FE \_\_\_\_\_99-----10  
 FE \_\_\_\_\_99-----23  
 FE \_\_\_\_\_97-----49  
 FE \_\_\_\_\_99-----14  
 Tc \_\_\_\_\_10-----50  
 FE \_\_\_\_\_97-----14  
 Elix \_\_\_\_\_99-----49  
 Elix \_\_\_\_\_99-----49  
 Soln \_\_\_\_\_14--23  
 FE \_\_\_\_\_00-----33  
 Tc \_\_\_\_\_10-----48  
 FE \_\_\_\_\_97-----33  
 FE \_\_\_\_\_97-----33  
 FE \_\_\_\_\_00-----14  
 O Oint \_\_\_\_\_23--31  
 O Oint \_\_\_\_\_23--31  
 O Oint \_\_\_\_\_46-9  
 O Oint \_\_\_\_\_46-9  
 FE \_\_\_\_\_99-----42

B Ferrated  
 Baciquent  
 Baciquent  
 Balm Asafetida Compound  
 Balm of Gilead Buds  
 Balmony  
 Bamboo Brier  
 Bamboo Brier Compound  
 Baptisia  
 Barberry Bark  
 Barberry Bark  
 Bayberry  
 Bay Laurel Compound  
 Beef  
 Beef & Iron  
 Beef, Iron & Cinchona  
 Belladonna Leaves  
 Belladonna Leaves  
 Belladonna Root  
 Belladonna  
 Belladonna  
 Benedict's Test  
 Benzoin  
 Benzoin  
 Benzoin Compound  
 Benzoin Compound  
 Benzo-Salicylic Compound (Upjohn)  
 Benzo-Salicylic Compound (Upjohn) Milder  
 Benzyl Benzoate Aromatic 20%  
 Berberis  
 Betasaya  
 Beth Root  
 Bismuth  
 Bismuth & Strychnine  
 Bismuth Sulfocarbolates Compound Corrective  
 Bitter Bugleweed  
 Bitter Root  
 Black Alder  
 Blackberry  
 Black Cohosh Compound  
 Black Haw

Elix \_\_\_\_\_ 48-50  
 Oint \_\_\_\_\_ 49-50  
 O Oint \_\_\_\_\_ 49-50  
 Oint \_\_\_\_\_ 16----- 50U  
 FE \_\_\_\_\_ 99-----14  
 FE \_\_\_\_\_ 99-----23  
 FE \_\_\_\_\_ 99-----23  
 FE \_\_\_\_\_ 00----- 37  
 FE \_\_\_\_\_ 99-----33  
 FE \_\_\_\_\_ 97-----14  
 Extr \_\_\_\_\_ 97--09  
 FE \_\_\_\_\_ 09-14  
 FE \_\_\_\_\_ 99----- 42  
 Wine \_\_\_\_\_ 99-----14  
 Wine \_\_\_\_\_ 99-----14  
 Wine \_\_\_\_\_ 99-----14  
 Extr \_\_\_\_\_ 97--09  
 FE \_\_\_\_\_ 97-----48  
 FE \_\_\_\_\_ 97-----46  
 Tc \_\_\_\_\_ 99-----50  
 Oint \_\_\_\_\_ 14-----46  
 Soln \_\_\_\_\_ 17-----50  
 FE \_\_\_\_\_ 99-----42  
 Tc \_\_\_\_\_ 02-----50  
 FE \_\_\_\_\_ 99-----50  
 Tc \_\_\_\_\_ 02-----50  
 Oint \_\_\_\_\_ 28-----50  
 Oint \_\_\_\_\_ 36-----50  
 Soln \_\_\_\_\_ 22--31  
 FE \_\_\_\_\_ 99-----42  
 Fluid \_\_\_\_\_ 33-----44  
 FE \_\_\_\_\_ 00-----23  
 Elix \_\_\_\_\_ 99-----23  
 Elix \_\_\_\_\_ 99-----14  
 Fluid \_\_\_\_\_ 23-----50  
 FE \_\_\_\_\_ 99-----20  
 FE \_\_\_\_\_ 99-----10  
 FE \_\_\_\_\_ 00-----14  
 Cordial \_\_\_\_\_ 99-----10  
 Elix \_\_\_\_\_ 99-----22  
 Extr \_\_\_\_\_ 97--09



Black Hellebore	Extr	97	09	
Black Hellebore	FE	99	14	
Black Pepper	FE	99	14	
Black Walnut Hulls	FE	99	23	
Black Walnut Leaves	FE	01	23	
Black Willow Bark	FE	99	20	
Black Willow Buds	FE	99	23	
Bladder Wrack	Extr	97	09	
Bladderwrack	FE	97	23	
Blood Root Compound	Syr	99	36U	
Blood Root Compound with Heroin Hydrochloride	Syr	03	23	
Blue Flag Root	FE	97	33	
Boric Acid 10%	O Oint		23	50
Boric Acid USP	Oint	05		50
Boric Acid Upjohn	Oint		28-33	
Bromides Aromatic with Opium	Elix	00	29	
Bromides Compound No 1	Elix		33	50
Bromides Compound No 3 (5 Bromides)	Elix	00		50
Bromides Compound No 3 Red	Elix		16	39
Broom-corn Seed	FE	99	08	
Bryonia	Tc	05		42
Buchthorn Bark	Elix	99	14	
Buchthorn	Cordial	99	09	
Buchu Leaves	Extr	97	09	
Buchu	FE	97		46
Buchu Compound	FE	97	23	
Buchu	Elix	99	14	
Buchu Juniper & Potassium Acetate NF	Elix		42	50
Buchu Juniper & Potassium Acetate	FE	99	31	
Buchu Juniper & Potassium Acetate No. 1	Elix	99		50
Buchu Juniper Uva Ursi & Potassium Acetate	Elix	99	23	
Buchu & Pareira Brava	FE	99	14	
Buchu & Pareira Brava	Elix	99	14	
Buchu & Potassium Acetate	Elix	99	23	
Butternut	Extr	97	09	

Cactus Grandiflorus	FE	99	33
Cactus Grandiflorus	Tc	10	23
Caffeine Potassium & Sodium Bromide	Elix		42 only
Calamoin	Oint	28	50
Calamus	FE	99	33
Calbrodein	Syr	28	50
Calcium Hypophosphite	Syr	99	14
Calcium Iodide	Syr	99	33
Calcium Lactophosphate	Syr	99	42
Calcium & Sodium Glycerophosphate NF	Elix		42 only
Calcium & Sodium Hypophosphite	Syr	99	25
Calcium & Sodium Lactophosate	Syr	99	10
Calcium Sodium & Iron Hypophosphites	Syr	99	23
Calendula Flowers	FE	99	23
Calendula non-alcoholic	FE	99	23
Calendula	Tc	10	23
Calisaya	Cordial	99	07
Calisaya Bark & Bismuth	Elix	99	14
Calisaya Bark Detannated	Elix	99	14
Calisaya Bark & Gentian	Elix	99	14
Calisaya Bark & Iron	Elix	99	14
Calisaya Bark Iron & Bismuth	Elix	99	14
Calisaya Bark Iron Bismuth & Pepsin	Elix	99	14
Calisaya Bark Iron Bismuth Pepsin & Strychnine	Elix	99	05
Calisaya Bark Iron Bismuth & Strychnine	Elix	99	14
Calisaya Bark Iron & Pepsin	Elix	99	14
Calisaya Bark & Strychnine	Elix	99	14
Calmulsion	Fluid		44-50
Calomel 5%	Oint	23	42
Calomel 30%	Oint		36-7
Calumba	Tc	10	42
Camolliens	Lotion		48-50
Camollient Cream	Oint		46-50
Camphor	Tc	10	22
Camphor	Spirit		23
Camphor	Liniment	14	50
Camphor & Soap	Liniment	05	50
Cannabis Indica	Extr	97	07
Cannabis	FE	97	37
Cannabis	Tc	99	37
Cantharides	FE	99	23
Cantharides	Tc	02	46
Capsicum	FE	97	33

Capsicum \_\_\_\_\_  
 Capsicum & Myrrh \_\_\_\_\_  
 Caraway Seed \_\_\_\_\_  
 Cardamom \_\_\_\_\_  
 Cardamom \_\_\_\_\_  
 Cardamom Compound \_\_\_\_\_  
 Cardamom Compound \_\_\_\_\_  
 Caripeptic Liquid \_\_\_\_\_  
 Cascara \_\_\_\_\_  
 Cascara Amarga \_\_\_\_\_  
 Cascara Aromatic Upjohn \_\_\_\_\_  
 Cascara Compound \_\_\_\_\_  
 Cascara Sagrada \_\_\_\_\_  
 Cascara Sagrada \_\_\_\_\_  
 Cascara Sagrada Upjohn \_\_\_\_\_  
 Cascara Sagrada \_\_\_\_\_  
 Cascara Sagrada Aromatic \_\_\_\_\_  
 Cascara Sagrada Aromatic double strength Upjohn \_\_\_\_\_  
 Cascara Sagrada Aromatic with Podophyllin \_\_\_\_\_  
 Cascara Sagrada Bitterless \_\_\_\_\_  
 Cascara Sagrada Compound \_\_\_\_\_  
 Cascara Salicylate & Phosphate Compound \_\_\_\_\_  
 Cascara Senna & Rhubarb \_\_\_\_\_  
 Cassia Buds \_\_\_\_\_  
 Castanea \_\_\_\_\_  
 Castor Oil Aromatic \_\_\_\_\_  
 Catechu (See Gambir) \_\_\_\_\_  
 Catechu Compound (See Gambir Compound) \_\_\_\_\_  
 Cathartic Compound \_\_\_\_\_  
 Catnep \_\_\_\_\_  
 Caulophyllum \_\_\_\_\_  
 Celery \_\_\_\_\_  
 Celery Compound \_\_\_\_\_  
 Celery Compound \_\_\_\_\_  
 Celery Fruit (Seed) \_\_\_\_\_  
 Celery & Guarana \_\_\_\_\_  
 Celery Kola & Coco Compound \_\_\_\_\_  
 Cerelexin \_\_\_\_\_  
 Chamomile (Roman) \_\_\_\_\_  
 Chamomile \_\_\_\_\_  
 Chekan \_\_\_\_\_

Tc \_\_\_\_\_ 02-----46  
 Tc \_\_\_\_\_ 10-----31  
 FE \_\_\_\_\_ 99----14  
 FE \_\_\_\_\_ 99-----42  
 Tc \_\_\_\_\_ 10-----39  
 FE \_\_\_\_\_ 97-----42  
 Tc \_\_\_\_\_ 02---14-----37---49  
 Fluid \_\_\_\_\_ 02-----50  
 Cordial \_\_\_\_\_ 99---10  
 FE \_\_\_\_\_ 99-----20  
 FE \_\_\_\_\_ 08-----50  
 Cordial \_\_\_\_\_ 14 only  
 Extr \_\_\_\_\_ 97---09  
 FE \_\_\_\_\_ 97-----50  
 FE \_\_\_\_\_ 08-14  
 Elix \_\_\_\_\_ 99-----23  
 FE \_\_\_\_\_ 97---14-----39---50  
 FE \_\_\_\_\_ 04-----37  
 FE \_\_\_\_\_ 04-----33  
 Elix \_\_\_\_\_ 99-----23  
 Elix \_\_\_\_\_ 99-----23  
 Elix \_\_\_\_\_ 00-----42  
 Elix \_\_\_\_\_ 00-----25  
 FE \_\_\_\_\_ 99---10  
 FE \_\_\_\_\_ 99-----42  
 Fluid \_\_\_\_\_ 10-----46  
 FE \_\_\_\_\_ 00---14  
 FE \_\_\_\_\_ 00--09  
 Elix \_\_\_\_\_ 99-----25  
 FE \_\_\_\_\_ 99---14  
 FE \_\_\_\_\_ 97-----42  
 Elix \_\_\_\_\_ 99--09  
 Elix \_\_\_\_\_ 99-----20  
 FE \_\_\_\_\_ 00---14  
 FE \_\_\_\_\_ 97-----42  
 Elix \_\_\_\_\_ 99-----29  
 Elix \_\_\_\_\_ 99-----20  
 Syr \_\_\_\_\_ 42--50  
 FE \_\_\_\_\_ 99---14  
 Tc \_\_\_\_\_ 10-4  
 FE \_\_\_\_\_ 99-----14



Cheracool (Wild Cherry & Ammonium Compound #1)	Syr	05	50
Cherry	Syr	39-42	
Chimaphila	FE	99	33
Chiol (Chill Tonic)	Soln	16-8	
Chionanthus	FE	99	42
Chirata	FE	00-10	
Chloral Hydrate	Elix	05	23
Chloral Hydrate	Syr	99	23
Chloral & Potassium Bromide Compound	Elix	99	50
Chlorodyne	Soln	00	37
Chloroform	Liniment	20	50
Chloroform Compound	Elix	99-08	
Choline Chloride	Syr		48-50
Cidicol	Syr		42-50
Cimicifuga	FE	97	46
Cimicifuga	Tc	05	42
Cimicifuga Compound	FE	99	23
Cinchona	FE		23 42
Cinchona	Tc	99	39
Cinchona	Wine	99-07	
Cinchona Alkaloid (Calisaya Bark)	Elix	99	42
Cinchona Alkaloid Iron & Strych	Elix	99	42
Cinchona Calisaya	Extr	97-09	
Cinchona Compound	FE		28 44
Cinchona Compound	Tc	99	42
Cinchona Compound Detannated	FE	99-09	
Cinchona Detannated	FE	99-14	
Cinchona Ferrated	Elix	99-09	
Cinchona Red	FE	97	25
Cinchona Red (Compound)	FE	99	25
Cinchona Red Compound	Tc	02-08	
Cinchona Yellow	FE	97	22
Cinchona Yellow (Compound)	FE	97-05	
Cinnamon	Tc		10 23
Cinnamon Ceylon	FE	99	23
Citrasulfas	Fluid		48-50
Citrasulfas M	Fluid		49-50
Citrine	Oint	05	33
Citrocarbonate	Syr		42-50
Clocream	Oint		42-50
Cloves	FE	99	23

Coca \_\_\_\_\_  
 Coca \_\_\_\_\_  
 Coca \_\_\_\_\_  
 Coco Leaves \_\_\_\_\_  
 Coca & Beef \_\_\_\_\_  
 Coca & Celery \_\_\_\_\_  
 Coca with Hypophosphites \_\_\_\_\_  
 Cocculus \_\_\_\_\_  
 Cod Liver Oil Upjohn \_\_\_\_\_  
 Cod Liver Oil Extract Tasteless S.F. 17888 \_\_\_\_\_  
 Cod Liver Oil Extract with Creosote \_\_\_\_\_  
 Cod Liver Oil Extract with Creosote & Guaiacol \_\_\_\_\_  
 Coffee Green \_\_\_\_\_  
 Coffee Roasted \_\_\_\_\_  
 Colchicum Root \_\_\_\_\_  
 Colchicum Root \_\_\_\_\_  
 Colchicum Seed \_\_\_\_\_  
 Colchicum Seed \_\_\_\_\_  
 Colchicum Seed \_\_\_\_\_  
 Cold Cream \_\_\_\_\_  
 Colocynth Apple \_\_\_\_\_  
 Colocynth \_\_\_\_\_  
 Colocynth Compound \_\_\_\_\_  
 Colombo \_\_\_\_\_  
 Coltsfoot \_\_\_\_\_  
 Columba Root \_\_\_\_\_  
 Comfrey \_\_\_\_\_  
 Condurango \_\_\_\_\_  
 Conium Leaves \_\_\_\_\_  
 Conium Leaves \_\_\_\_\_  
 Conium Seed \_\_\_\_\_  
 Conium Seed \_\_\_\_\_  
 Conium Seed \_\_\_\_\_  
 Convallaria Root \_\_\_\_\_  
 Copper Citrate 5% \_\_\_\_\_  
 Copper Citrate 10% \_\_\_\_\_  
 Corenta \_\_\_\_\_  
     Intestinal Antiseptic  
 Coriander Seed \_\_\_\_\_  
 Coto Bark \_\_\_\_\_  
 Coto Bark Saccharated \_\_\_\_\_

FE \_\_\_\_\_97-----14  
 Cordial \_\_\_\_\_99-----14  
 Wine \_\_\_\_\_99-----14  
 Elix \_\_\_\_\_99----09  
 Wine \_\_\_\_\_99-----14  
 Wine \_\_\_\_\_99-----14  
 Wine \_\_\_\_\_99--07  
 FE \_\_\_\_\_14 only  
 Fluid \_\_\_\_\_28 only  
 Wine \_\_\_\_\_10-----46U  
 Wine \_\_\_\_\_05-----42U  
 Wine \_\_\_\_\_10-----42U  
 FE \_\_\_\_\_97--10  
 FE \_\_\_\_\_97--10  
 Extr \_\_\_\_\_97--09  
 FE \_\_\_\_\_97-----33  
 FE \_\_\_\_\_97-----42  
 Wine \_\_\_\_\_99-----46  
 Te \_\_\_\_\_02-----25  
 Oint \_\_\_\_\_05-----50  
 Extr \_\_\_\_\_97--09  
 FE \_\_\_\_\_97-----33  
 Extr \_\_\_\_\_97--09  
 Extr \_\_\_\_\_97--07  
 FE \_\_\_\_\_99-----14  
 FE \_\_\_\_\_97-----31  
 FE \_\_\_\_\_99-----14  
 FE \_\_\_\_\_07-----42  
 Extr \_\_\_\_\_97--09  
 FE \_\_\_\_\_99-----14  
 Extr \_\_\_\_\_97--07  
 FE \_\_\_\_\_97-----14  
 Te \_\_\_\_\_99-----14  
 FE \_\_\_\_\_97-----33  
 O Oint \_\_\_\_\_23--31  
 O Oint \_\_\_\_\_23--31  
 Cordial \_\_\_\_\_02-----50  
  
 FE \_\_\_\_\_99-----25  
 FE \_\_\_\_\_99-----14  
 Extr \_\_\_\_\_00--10



Cotton Root Bark \_\_\_\_\_  
 Cotton Root Bark \_\_\_\_\_  
 Cramp Bark Compound \_\_\_\_\_  
     Viburnum Opulus  
 Cramp Bark & Skullcap Compound \_\_\_\_\_  
 Creosotone \_\_\_\_\_  
 Cresol Saponated \_\_\_\_\_  
 Crimson (Upjohn) \_\_\_\_\_  
 Cubeb \_\_\_\_\_  
 Cubeb \_\_\_\_\_  
 Cudbear \_\_\_\_\_  
 Culver's Root \_\_\_\_\_

Extr       — 97---09  
 FE         — 97-----48  
 Elix       — 16-----39  
  
 Elix       \_\_\_\_\_42-6  
 Syr        — 08-----50  
 Soln       — 14-----50  
 Soln       — 16-9  
 FE         — 97-----42  
 Tc         — 10-----42  
 Tc         — 10-----42  
 Extr       — 97--09

Damiana \_\_\_\_\_  
 Damiana \_\_\_\_\_  
 Dandelion \_\_\_\_\_  
 Depletory Vaginal \_\_\_\_\_  
 Derm-Anodyne \_\_\_\_\_  
 Dermocel \_\_\_\_\_  
 Dextrolac No. 1 \_\_\_\_\_  
 Dextrolac No. 2 \_\_\_\_\_  
 Diastatic \_\_\_\_\_  
 Diethyl Stilbestrol \_\_\_\_\_  
 Digitalis \_\_\_\_\_  
 Digitalis \_\_\_\_\_  
 Digitalis \_\_\_\_\_  
 Digitalis (Fat Free) \_\_\_\_\_  
 Dioscorea \_\_\_\_\_  
 Dogwood \_\_\_\_\_  
 Dover Powder \_\_\_\_\_  
 Dulcamara \_\_\_\_\_  
 Dulcamara \_\_\_\_\_  
 Dwarf Elder \_\_\_\_\_

Extr       — 97---09  
 FE         — 97-----42  
 Extr       — 97---09  
 Supp       — 16-----50  
 Oint       — 07-----50  
 Poultice   — 05-----25  
 Fluid       — 29-----49  
 Fluid       — 29-----50  
 Wine       — 07--14  
 Supp       \_\_\_\_\_44-6  
 Extr       — 97----09  
 FE         — 97-----33  
 Tc         — 99-----25 37---50  
 Tc         — 16-----36  
 FE         — 99-----42  
 FE         — 99----14  
 Syr        — 99-----20  
 Extr       — 97---09  
 FE         — 97---10  
 FE         — 00---10

Echinacea \_\_\_\_\_  
 Echinacea \_\_\_\_\_  
 Eclotio \_\_\_\_\_  
 Elder Flowers \_\_\_\_\_  
 Elecampane \_\_\_\_\_  
 Emeracol \_\_\_\_\_  
 Emulserol (Plain) \_\_\_\_\_  
 Emulserol with Cascara \_\_\_\_\_  
 Ephedrine (Alkaloid) Jelly \_\_\_\_\_  
 Ephedrine 1% in oil \_\_\_\_\_  
 Ephedrine 1% in Dextrose \_\_\_\_\_  
 Ephedrine & Mercarbolid Aqueous \_\_\_\_\_  
 Epinephricaine \_\_\_\_\_  
 Epinephricaine \_\_\_\_\_  
 Epinephrine Hydrochloride 1:100 \_\_\_\_\_  
 Epsomoin \_\_\_\_\_  
 Epsomoin with Ephedrine \_\_\_\_\_  
 Ergophene \_\_\_\_\_  
 Ergot \_\_\_\_\_  
 Ergot \_\_\_\_\_  
 Ergot (Upjohn)-Dated \_\_\_\_\_  
 Eriodictyon \_\_\_\_\_  
 Eriodictyon Aromatic \_\_\_\_\_  
 Eserine Alkaloid  $\frac{1}{4}\%$  \_\_\_\_\_  
 Eserine Sulfate  $\frac{1}{4}\%$  \_\_\_\_\_  
 Essence Pepsin \_\_\_\_\_  
 Eucalyptus \_\_\_\_\_  
 Eucalyptus \_\_\_\_\_  
 Eucalyptus Compound \_\_\_\_\_  
 Eucamenthol \_\_\_\_\_  
 Eucamenthol-Cocaine 25% \_\_\_\_\_  
 Eucamenthol-Iodine  $12\frac{1}{2}\%$  \_\_\_\_\_  
 Eucamenthol-Resorcin 25% \_\_\_\_\_  
 Euonymus \_\_\_\_\_  
 Eupatorium \_\_\_\_\_  
 Euphorbia \_\_\_\_\_  
 Euphorbia Compound NF \_\_\_\_\_  
 Euphorbia Compound (Hare) \_\_\_\_\_  
 Euphorbia Iodide & Bromide Compound \_\_\_\_\_  
 Expectorant Mixture \_\_\_\_\_

FE \_\_\_\_\_00-----46  
 To \_\_\_\_\_10-----33  
 Eczema \_\_\_\_\_05-----42U  
 FE \_\_\_\_\_99-----23  
 FE \_\_\_\_\_99-----14  
 Syr \_\_\_\_\_31-----50  
 Fluid \_\_\_\_\_33-----50  
 Fluid \_\_\_\_\_33-----50  
 Oint \_\_\_\_\_33-----46  
 Fluid \_\_\_\_\_33-----42  
 Fluid \_\_\_\_\_42-6  
 Fluid \_\_\_\_\_36-----50  
 Oint \_\_\_\_\_42-50  
 Supp \_\_\_\_\_48-50  
 Soln \_\_\_\_\_44-6  
 Oint \_\_\_\_\_31--39  
 Oint \_\_\_\_\_31-----49  
 Oint \_\_\_\_\_16-----50  
 Extr \_\_\_\_\_97--09  
 FE \_\_\_\_\_97-----50  
 Fe \_\_\_\_\_33 only  
 FE \_\_\_\_\_97-----42  
 Syr \_\_\_\_\_99-----42  
 O Oint \_\_\_\_\_23--31  
 O Oint \_\_\_\_\_46 only  
 Soln \_\_\_\_\_99-----50  
 FE \_\_\_\_\_97-----33  
 To \_\_\_\_\_10-4  
 Elix \_\_\_\_\_99--14  
 Nebulol \_\_\_\_\_07--14 25-9  
 Nebulol \_\_\_\_\_07-10  
 Nebulol \_\_\_\_\_07--14 25-9  
 Nebulol \_\_\_\_\_07--14 25-9  
 FE \_\_\_\_\_97-----42  
 FE \_\_\_\_\_99-----33  
 FE \_\_\_\_\_99-----42  
 Elix \_\_\_\_\_42-6  
 Elix \_\_\_\_\_05-----39  
 Elix \_\_\_\_\_48-9  
 Fluid \_\_\_\_\_36-----50

False Bittersweet \_\_\_\_\_  
 Fehling's Test A&B \_\_\_\_\_  
 Fennel Seed \_\_\_\_\_  
 Ferric Chloride \_\_\_\_\_  
 Ferric Citrochloride \_\_\_\_\_  
 Ferrone \_\_\_\_\_  
 Ferrous Chloride \_\_\_\_\_  
 Ferrous Iodide \_\_\_\_\_  
 Ferrous Iodide USP \_\_\_\_\_  
 Figwort \_\_\_\_\_  
 Five Bromides NF \_\_\_\_\_  
 Four Chlorides RxB \_\_\_\_\_  
 Frangula \_\_\_\_\_  
 Fringe Tree Compound \_\_\_\_\_

FE \_\_\_\_\_99-----14  
 Soln \_\_\_\_\_14--23  
 FE \_\_\_\_\_00--10  
 Tc \_\_\_\_\_02-----50  
 Tc \_\_\_\_\_10-----42  
 Elix \_\_\_\_\_36---50  
 Elix \_\_\_\_\_42--50  
 Syr \_\_\_\_\_99-----50  
 Syr \_\_\_\_\_39 only  
 FE \_\_\_\_\_99-----14  
 Elix \_\_\_\_\_42-6  
 Elix \_\_\_\_\_05-----37  
 FE \_\_\_\_\_97-----42  
 Elix \_\_\_\_\_05-----37

Galangal \_\_\_\_\_  
 Gambir \_\_\_\_\_  
     Pale Catechu  
 Gambir Compound \_\_\_\_\_  
     Pale Catechu Compound  
 Gambir Compound \_\_\_\_\_  
 Garlic \_\_\_\_\_  
 Gelsemium \_\_\_\_\_  
 Gelsemium \_\_\_\_\_  
 Gelsemium \_\_\_\_\_  
 Gentian \_\_\_\_\_  
 Gentian \_\_\_\_\_  
 Gentian \_\_\_\_\_  
 Gentian \_\_\_\_\_  
 Gentian Compound \_\_\_\_\_  
 Gentian Compound \_\_\_\_\_  
 Gentian Detannated \_\_\_\_\_  
 Gentian Detannated \_\_\_\_\_  
 Gentian Ferrated \_\_\_\_\_  
 Gentian Glycerinated NF \_\_\_\_\_  
 Gentian & Iron \_\_\_\_\_

FE \_\_\_\_\_99-----23  
 FE \_\_\_\_\_10---25  
  
 FE \_\_\_\_\_10---25  
  
 Tc \_\_\_\_\_05-----42  
 FE \_\_\_\_\_99-----14  
 Extr \_\_\_\_\_97--09  
 FE \_\_\_\_\_97-----42  
 Tc \_\_\_\_\_02-----42  
 Extr \_\_\_\_\_97--09  
 FE \_\_\_\_\_97-----46  
 Tc \_\_\_\_\_02-----42  
 Elix \_\_\_\_\_99-----14  
 FE \_\_\_\_\_97-----46  
 Tc \_\_\_\_\_02-----50  
 FE \_\_\_\_\_99-----42  
 Elix \_\_\_\_\_99-----22  
 Elix \_\_\_\_\_99-----23  
 Elix \_\_\_\_\_42-6  
 Elix \_\_\_\_\_99-----42



Gentian Iron & Strychnine \_\_\_\_\_  
 Gentian Saccharated \_\_\_\_\_  
 Geranium \_\_\_\_\_  
 Ginger \_\_\_\_\_  
 Ginger \_\_\_\_\_  
 Ginger Soluble \_\_\_\_\_  
 Glycerite Boroglycerin \_\_\_\_\_  
 Glycerole Heroin Compound \_\_\_\_\_  
 Glycerophosphate of Calcium and Sodium \_\_\_\_\_  
 Glycerophosphate Compound NF \_\_\_\_\_  
 Glycerophosphate Compound #1 \_\_\_\_\_  
 Glycerophosphate Compound with Lecithin \_\_\_\_\_  
     Neurasthenia \_\_\_\_\_  
 Glycerophosphate Lime & Soda D. S. Red \_\_\_\_\_  
 Glycero-Phospho-Mangan \_\_\_\_\_  
 Glyceryl Trinitrate \_\_\_\_\_  
     Nitroglycerin 1% \_\_\_\_\_  
 Glycyrrhiza \_\_\_\_\_  
 Glycyrrhiza for Quinine (similar to (for Syrup)) \_\_\_\_\_  
 Glycyrrhiza for Syrup (Fldglycerate from '39) \_\_\_\_\_  
 Goat's Rue \_\_\_\_\_  
 Golden Rod \_\_\_\_\_  
 Golden Seal \_\_\_\_\_  
 Gold Thread \_\_\_\_\_  
 Green Soap \_\_\_\_\_  
 Green Soap N.O. \_\_\_\_\_  
 Grindelia \_\_\_\_\_  
 Grindelia Compound \_\_\_\_\_  
 Grindelia Compound \_\_\_\_\_  
 Grindelia Soluble \_\_\_\_\_  
 Guaiac Ammoniated \_\_\_\_\_  
 Guaiac Resin \_\_\_\_\_  
 Guaiac Wood \_\_\_\_\_  
 Guarana \_\_\_\_\_  
 Guarana \_\_\_\_\_  
 Guarana \_\_\_\_\_

Elix \_\_\_\_\_99-----37  
 Extr \_\_\_\_\_93-----10  
 FE \_\_\_\_\_97-----33  
 FE \_\_\_\_\_97-----42  
 Tc \_\_\_\_\_02---14  
 FE \_\_\_\_\_99---10  
 Soln \_\_\_\_\_14---29  
 Soln \_\_\_\_\_10---23  
 Soln \_\_\_\_\_02-----42  
 Elix \_\_\_\_\_42 only  
 Elix \_\_\_\_\_08-----50  
 Elix \_\_\_\_\_14-----42  
  
 Elix \_\_\_\_\_02-----20  
 Soln \_\_\_\_\_03-09  
 Spirit \_\_\_\_\_14 only  
 Spirit \_\_\_\_\_20-5-31---42  
 FE \_\_\_\_\_97-----49  
 FE \_\_\_\_\_99-----25  
 FE \_\_\_\_\_28-----46  
 FE \_\_\_\_\_05-----23  
 FE \_\_\_\_\_99---14  
 Extr \_\_\_\_\_97---09  
 FE \_\_\_\_\_97---10  
 Tc \_\_\_\_\_10-----50  
 Tc \_\_\_\_\_44-50  
 FE \_\_\_\_\_97-----42  
 FE \_\_\_\_\_99---14  
 Syr \_\_\_\_\_00---14  
 FE \_\_\_\_\_99-----42  
 Tc \_\_\_\_\_10-----42  
 FE \_\_\_\_\_99-----33  
 FE \_\_\_\_\_99---14  
 Extr \_\_\_\_\_97---09  
 FE \_\_\_\_\_97-----33  
 Elix \_\_\_\_\_99---14

Haircap Moss \_\_\_\_\_  
 Hamamelis Leaves \_\_\_\_\_  
 Hand Lotion \_\_\_\_\_  
 Helonias \_\_\_\_\_  
 Helonias \_\_\_\_\_  
 Helonias \_\_\_\_\_  
 Helonias Compound \_\_\_\_\_  
 Helonias & Squaw Vine Compound \_\_\_\_\_  
 Hemlock \_\_\_\_\_  
 Hemlock Compound \_\_\_\_\_  
 Henbane \_\_\_\_\_  
 Heroin Compound Glycerole \_\_\_\_\_  
 Heroin & Terpin Hydrate No. 1 Red \_\_\_\_\_  
 Heroin & Terpin Hydrate No. 2 \_\_\_\_\_  
 Heroin & Terpin Hydrate No. 3 \_\_\_\_\_  
 Heroin & Tolu Compound Green \_\_\_\_\_  
 Heroin Compound Green \_\_\_\_\_  
 Hexatone \_\_\_\_\_  
 Hive Syrup & Tolu Compound with Eucalyptus Honey \_\_\_\_\_  
 Hops \_\_\_\_\_  
 Hops \_\_\_\_\_  
 Horehound Compound \_\_\_\_\_  
 Horse Chestnuts \_\_\_\_\_  
 Hydrangea \_\_\_\_\_  
 Hydrangea & Lithium \_\_\_\_\_  
 Hydrastine Colorless \_\_\_\_\_  
 Hydrastis \_\_\_\_\_  
 Hydrastis \_\_\_\_\_  
 Hydrastis Non-alcoholic \_\_\_\_\_  
 Hydrastis Compound NF \_\_\_\_\_  
 Hydriodic Acid USP \_\_\_\_\_  
 Hydriodic Acid Upjohn \_\_\_\_\_  
 Hydriodic Acid 1% \_\_\_\_\_  
 Hydriodic Acid 2% \_\_\_\_\_  
 Hydrogen Peroxide \_\_\_\_\_  
 Hyoscyamus \_\_\_\_\_  
 Hyoscyamus \_\_\_\_\_  
 Hypophosphites \_\_\_\_\_  
 Hypophosphites Compound \_\_\_\_\_  
 Hypophosphites Compound \_\_\_\_\_  
 Hypophosphites Compound #1 \_\_\_\_\_

FE \_\_\_\_\_99-----14  
 FE \_\_\_\_\_97-----42  
 Fluid \_\_\_\_\_25-----50  
 FE \_\_\_\_\_97-----33  
 Elix \_\_\_\_\_99-----23  
 Cordial \_\_\_\_\_99--07  
 Elix \_\_\_\_\_99-----39  
 Elix \_\_\_\_\_42 only  
 FE \_\_\_\_\_99-----23  
 FE \_\_\_\_\_05-7  
 Extr \_\_\_\_\_97----09  
 Soln \_\_\_\_\_14 only  
 Elix \_\_\_\_\_02-----23  
 Elix \_\_\_\_\_02-----23  
 Elix \_\_\_\_\_16-23  
 Syr \_\_\_\_\_08-----23  
 Syr \_\_\_\_\_20-3  
 Fluid \_\_\_\_\_08-----50  
 Syr \_\_\_\_\_03-----36U  
 Extr \_\_\_\_\_05-9  
 FE \_\_\_\_\_97-----22  
 Syr \_\_\_\_\_99-----23  
 FE \_\_\_\_\_10-----22  
 FE \_\_\_\_\_97-----42  
 Elix \_\_\_\_\_00-----46  
 Solu \_\_\_\_\_98-----42  
 FE \_\_\_\_\_97-----48  
 Tc \_\_\_\_\_10-----42  
 FE \_\_\_\_\_99-----25  
 Elix \_\_\_\_\_42 only  
 Syr \_\_\_\_\_39-----50  
 Syr \_\_\_\_\_17-----50  
 Syr \_\_\_\_\_99-----14  
 Syr \_\_\_\_\_99-----14  
 Soln \_\_\_\_\_14 only  
 FE \_\_\_\_\_97-----49  
 Tc \_\_\_\_\_02-----50  
 Syr \_\_\_\_\_99-----42  
 Syr \_\_\_\_\_99-----42  
 Soln \_\_\_\_\_28--36  
 Soln \_\_\_\_\_00-----25

For Syrup Hypophosphites Compound, Hematic



Hypophosphites Compound #2	Soln	02-----25
Hypophosphites Compound (Churchill)	Syr	99-----42
Hypophosphites Compound Hematic cloudy	Syr	00-----46
(See Six Hypophosphites)		
Hypophosphites Compound Calcium, Sodium, Potassium & Iron	Syr	99-----23
Hypophosphites Compound with Manganese & Quinine	Syr	99-----23
Hypophosphites Compound with Quinine	Syr	99-----23
Hypophosphites Compound with Quinine & Strychnine	Syr	99-----23
Hypophosphites Compound with Strychnine	Syr	99---09

Ichthammol NF 10%	Oint	42--50
Ichthammol 20%	Oint	44-50
Ichtholine	Oint	02-----42
Ichthyol 5%	Oint	22-----42
Ichthyol 10%	Oint	22-----42
Ichthyol 20%	Oint	25-----42
Ignatia Bean	Extr	97---07
Ignatia Bean	FE	97-----22
Iodine	Tc	05-----50
Iodine Strong	Tc	48-50
Iodine Colorless	Tc	05-----23
Iodine	Oint	14-----42
Ipecac	Extr	97---09
Ipecac	FE	97-----49
Ipecac	Syr	97-----50
Ipecac	Wine	99-----42
Ipecac & Opium (Tc)	FE	99-05
Ipecac & Opium	Tc	07--14
Ipecac & Senega	FE	99-----14
Irisin (Concentrated)	Extr	97---09
Iron	Wine	99-----14
Iron Bitter	Wine	99-----42
Iron Chloride	Syr	99-----23
Iron Lactophosphates	Syr	99---10
Iron & Manganese Iodides	Syr	99-----23



Iron Phosphate	Syr	99--09
Iron Phosphate	Elix	99-----22
Iron Pyrophosphate	Elix	99-----22
Iron Pyrophosphate	Syr	99---10
Iron Pyrophosphate & Quinine	Elix	99-----14
Iron Pyrophosphate Quinine & Strychnine	Elix	99-----31
Iron Pyrophosphate & Strychnine	Elix	99--09
Iron & Quinine Phosphate	Elix	99-----20
Iron Quinine & Strychnine Upjohn	Elix	20-----42
Iron Quinine & Strychnine NF	Elix	20 only 36-42
Iron Quinine & Strychnine Modified	Elix	20-----42
Iron Quinine & Strychnine Phosphate with Lactated Pepsin	Elix	99-----42
Iron Quinine & Strychnine Phosphate	Elix	99--07
Iron & Strychnine Phosphate		
Quinine out 42 NF	Elix	99-----14
Quinine in 48 NF	Elix	28-----50
Iron & Strychnine Phosphate Upjohn		
Quinine out 42	Elix	42--50
Iron & Strychnine Phosphate	Elix	99-----14
Iron & Thiamine	Elix	49 only
Ironwood Compound	Elix	02-----37
Isolac	Fluid	29--37

Jaborandi	Extr	97--07
Jalap	Extr	97--09
Jalap Root	FE	97---14
Jamaica Dogwood	Extr	97--09
Jamaica Dogwood	FE	97-----42
Jeculin	Fluid	33-----50
Juglans	FE	97-----23
Juniper	FE	97-----42

Kaopectate \_\_\_\_\_  
 Kava \_\_\_\_\_  
 Kino \_\_\_\_\_  
 Kino \_\_\_\_\_  
 Kola \_\_\_\_\_  
 Kola \_\_\_\_\_  
 Kola \_\_\_\_\_  
 Kola Compound \_\_\_\_\_  
 Kola Compound \_\_\_\_\_  
 Krameria \_\_\_\_\_

Lactated Pepsin \_\_\_\_\_  
     See Pepsin Compound N.F.  
 Lactated Pepsin Double Strength \_\_\_\_\_  
 Lactated Pepsin & Bismuth \_\_\_\_\_  
 Lactated Pepsin Bismuth & Strychnine \_\_\_\_\_  
 Lactated Pepsin with Gentian & Ferric Chloride \_\_\_\_\_  
 Ladies' Slipper \_\_\_\_\_  
 Ladies' Slipper \_\_\_\_\_  
 Lappa (Root) \_\_\_\_\_  
 Lappa (Seed) \_\_\_\_\_  
 Larkspur \_\_\_\_\_  
 Lassar's Paste \_\_\_\_\_  
 Lassar's Plain Zinc Paste \_\_\_\_\_  
     Lassar's Paste w/o Salicylic Acid  
 Lassar's Zinc Paste with Salicylic Acid \_\_\_\_\_  
     Lassar's Paste Modified  
 Lavender Compound \_\_\_\_\_  
 Lavender Compound \_\_\_\_\_  
 Laxative White Pine Expectorant \_\_\_\_\_  
 Laxsaline \_\_\_\_\_  
 Lead Subacetate \_\_\_\_\_  
 Lemon Peel \_\_\_\_\_  
 Lenitol \_\_\_\_\_  
 Leptandra \_\_\_\_\_

Fluid \_\_\_\_\_ 36----50  
 FE \_\_\_\_\_ 99-----33  
 FE \_\_\_\_\_ 99----08  
 Tc \_\_\_\_\_ 05-----42  
 FE \_\_\_\_\_ 97-----42  
 Cordial \_\_\_\_\_ 99--07  
 Wine \_\_\_\_\_ 99----14  
 Elix \_\_\_\_\_ 99-----20  
 Wine \_\_\_\_\_ 99----14  
 FE \_\_\_\_\_ 97-----42

Elix \_\_\_\_\_ 99-----50  
 Elix \_\_\_\_\_ 05---14  
 Elix \_\_\_\_\_ 99-----25  
 Elix \_\_\_\_\_ 99-----25  
 Elix \_\_\_\_\_ 99-----25  
 Extr \_\_\_\_\_ 97--09  
 FE \_\_\_\_\_ 97-----31  
 FE \_\_\_\_\_ 97-----42  
 FE \_\_\_\_\_ 00-----20  
 FE \_\_\_\_\_ 13-----46  
 Oint \_\_\_\_\_ 05-----33  
 Oint \_\_\_\_\_ 31-----50  
 Oint \_\_\_\_\_ 36---48  
 FE \_\_\_\_\_ 99-----42  
 Tc \_\_\_\_\_ 10-4  
 Syr \_\_\_\_\_ 02-----22  
 Soln \_\_\_\_\_ 00-07  
 Soln \_\_\_\_\_ 14  
 Tc \_\_\_\_\_ 10--20  
 Nebulol \_\_\_\_\_ 07--14  
 FE \_\_\_\_\_ 97-----42

Leptandra \_\_\_\_\_  
 Leptandrin (Concentrated) \_\_\_\_\_  
 Lettuce Wild \_\_\_\_\_  
 Licorice Aromatic \_\_\_\_\_  
     Quinine Elixir \_\_\_\_\_  
 Life Root \_\_\_\_\_  
 Lime Juice & Pepsin \_\_\_\_\_  
 Liquid Liver Extract Oral \_\_\_\_\_  
 Liquid Peptones \_\_\_\_\_  
 Liquid Peptones with Creosote & Guaiacol \_\_\_\_\_  
 Lithium Citrate \_\_\_\_\_  
 Lobelia \_\_\_\_\_  
 Lobelia \_\_\_\_\_  
 Lobelia \_\_\_\_\_  
 Lobelia Compound \_\_\_\_\_  
 Logwood \_\_\_\_\_  
 Lungwort \_\_\_\_\_  
 Lupulin \_\_\_\_\_  
 Lupulin \_\_\_\_\_  
 Lupulin Compound \_\_\_\_\_

Tc \_\_\_\_\_10-4  
 Extr \_\_\_\_\_97---07  
 Extr \_\_\_\_\_97---09  
 Elix \_\_\_\_\_99-----14  
  
 FE \_\_\_\_\_97-----23  
 Solu \_\_\_\_\_00-----39  
 Fluid \_\_\_\_\_42-50  
 Soln \_\_\_\_\_02-----20  
 Soln \_\_\_\_\_02-----36U  
 Elix \_\_\_\_\_99-----20  
 Extr \_\_\_\_\_97---07  
 FE \_\_\_\_\_97-----42  
 Tc \_\_\_\_\_10-----46  
 FE \_\_\_\_\_99---10  
 FE \_\_\_\_\_99---14  
 FE \_\_\_\_\_05---14  
 FE \_\_\_\_\_99-----22  
 Elix \_\_\_\_\_99---09  
 FE \_\_\_\_\_99---14

Malcoogel \_\_\_\_\_  
 Male Fern \_\_\_\_\_  
 Manaca \_\_\_\_\_  
 Manaca & Salicylates \_\_\_\_\_  
 Mandrake \_\_\_\_\_  
 Marrubium \_\_\_\_\_  
 Marrubium Compound \_\_\_\_\_  
 Matricaria \_\_\_\_\_  
 Menadione \_\_\_\_\_  
 Mercarbolid \_\_\_\_\_  
 Mercarbolid \_\_\_\_\_  
 Mercarbolid Stainless \_\_\_\_\_  
 Mercresin \_\_\_\_\_  
 Mercresin Stainless \_\_\_\_\_  
 Mercresin Cream \_\_\_\_\_  
 Mercurial Mild (30% changed to 10%) \_\_\_\_\_

Fluid \_\_\_\_\_42--50  
 FE \_\_\_\_\_97---14  
 FE \_\_\_\_\_99-----42  
 Elix \_\_\_\_\_02-----39  
 Extr \_\_\_\_\_97---07  
 FE \_\_\_\_\_99-----25  
 FE \_\_\_\_\_99---14  
 FE \_\_\_\_\_99---14  
 Soln \_\_\_\_\_44 only  
 Soln \_\_\_\_\_36---46  
 Tc \_\_\_\_\_36---48  
 Tc \_\_\_\_\_36---44  
 Tc \_\_\_\_\_36---50  
 Tc \_\_\_\_\_36---50  
 Oint \_\_\_\_\_44-50  
 Oint \_\_\_\_\_05-----50



Mercurial Stronger 50% \_\_\_\_\_  
 Mercury Ammoniated 3% \_\_\_\_\_  
 Mercury Ammoniated 3% \_\_\_\_\_  
 Mercury Ammoniated 5% \_\_\_\_\_  
 Mercury Ammoniated 10% \_\_\_\_\_  
 Mercury Bichloride \_\_\_\_\_  
 Mercury Yellow Oxide 1% \_\_\_\_\_  
 Mercury Yellow Oxide 1% \_\_\_\_\_  
 Mercury Yellow Oxide 2% \_\_\_\_\_  
 Mercury Yellow Oxide Compound \_\_\_\_\_  
 Mercury Yellow Oxide Compound \_\_\_\_\_  
 Mercury Yellow Oxide & Atropine \_\_\_\_\_  
 Mercury Yellow Oxide & Epinephrine Compound \_\_\_\_\_  
 Methadon Hydrochloride \_\_\_\_\_  
 Methamphetamine Hydrochloride \_\_\_\_\_  
 Desoxyephedrine Hydrochloride \_\_\_\_\_  
 Mezereum \_\_\_\_\_  
 Mineral Oil White \_\_\_\_\_  
 Mineral Oil with Vitamin A \_\_\_\_\_  
 Mitchella \_\_\_\_\_  
 Mitchella Compound \_\_\_\_\_  
 Morphine Hydrochloride Aromatic \_\_\_\_\_  
 Morphine Valerate \_\_\_\_\_  
 Motherwort \_\_\_\_\_  
 Muira-Puama \_\_\_\_\_  
 Mullein Leaves \_\_\_\_\_  
 Musk Root \_\_\_\_\_  
 Mustard Seed \_\_\_\_\_  
 Myeladol \_\_\_\_\_  
 Myringacaine \_\_\_\_\_  
 Myrrh \_\_\_\_\_  
 Myrrh \_\_\_\_\_  
 Myrrh & Capsicum \_\_\_\_\_

Oint \_\_\_\_\_07-----46  
 O Oint \_\_\_\_\_28----42  
 Oint \_\_\_\_\_39--46  
 Oint \_\_\_\_\_31-----50  
 Oint \_\_\_\_\_14-----50  
 O Oint \_\_\_\_\_23-----50  
 O Oint \_\_\_\_\_23-----50  
 Oint \_\_\_\_\_39-42  
 O Oint \_\_\_\_\_23-----50  
 Oint \_\_\_\_\_05-10-----25----42  
 O Oint \_\_\_\_\_14-----42  
 O Oint \_\_\_\_\_23--31  
 O Oint \_\_\_\_\_23--31  
 Elix \_\_\_\_\_49-50  
 Elix \_\_\_\_\_49-50  
  
 FE \_\_\_\_\_99----14  
 Fluid \_\_\_\_\_20-----50  
 Fluid \_\_\_\_\_42--50  
 FE \_\_\_\_\_99-----33  
 FE \_\_\_\_\_99-----23  
 Elix \_\_\_\_\_36----50  
 Elix \_\_\_\_\_99----14  
 FE \_\_\_\_\_00---10  
 FE \_\_\_\_\_00---14  
 FE \_\_\_\_\_99---14  
 Extr \_\_\_\_\_97--09  
 FE \_\_\_\_\_99----14  
 Fluid \_\_\_\_\_31-----50  
 Soln \_\_\_\_\_49-50  
 FE \_\_\_\_\_99-----42  
 Tc \_\_\_\_\_05-----46  
 FE \_\_\_\_\_99----14

Nasal	_____	Oint	_____16-----50
Nebulol No. 1	_____	Nebulol	_____07--14--25-9
Nebulol No. 2	_____	Nebulol	_____07-10
Nebulol No. 4	_____	Nebulol	_____07--14
Nebulol No. 8	_____	Nebulol	_____07--14--25-9
Nebulol No. 10	_____	Nebulol	_____07--14--25-9
Nebulol No. 15	_____	Nebulol	_____07--14
Nebulol No. 19	_____	Nebulol	_____07--14
Nebulol No. 22	_____	Nebulol	_____07--14--25-9
Nebulol No. 25	_____	Nebulol	_____07--14--25-9
Nebulol No. 27	_____	Nebulol	_____07--14
Nebulol No. 30	_____	Nebulol	_____07--14
Nebulol No. 31	_____	Nebulol	_____07--14
Nebulol No. 33	_____	Nebulol	_____07--14
Nebulol No. 41	_____	Nebulol	_____07--14
Nebulol No. 45	_____	Nebulol	_____07--14
Nebulol No. 47	_____	Nebulol	_____07--14
Nebulol Plain	_____	Nebulol	_____07--14--25-9
Nebulol Ephedrine Compound	_____	Nebulol	_____36-42
Neutralizing NF	_____	Cordial	_____99-----50
Neutralizing Astringent	_____	Cordial	_____04-----25
Neutralizing Improved	_____	Cordial	_____04-----50
Neutralizing Improved with Pancreatin	_____	Cordial	_____04-----39
Neutralizing with Pancreatin	_____	Cordial	_____00-3
Nikethamide Oral	_____	Soln	_____44-50
Nitroglycerin Compound RxA	_____	Elix	_____00-----39
Nutmegs	_____	FE	_____00--10
Nux Vomica	_____	Extr	_____97--09
Nux Vomica	_____	FE	_____97-----46
Nux Vomica	_____	Tc	_____99-----50

Opium \_\_\_\_\_  
 Opium \_\_\_\_\_  
 Opium Aqueous (Deodorized) \_\_\_\_\_  
 Opium Camphorated \_\_\_\_\_  
 Opium Camphorated \_\_\_\_\_  
 Opium Concentrated \_\_\_\_\_  
 Opium Deodorized \_\_\_\_\_  
 Opium & Glycyrr Compound \_\_\_\_\_  
 Oral Pentacresol 1:1000 \_\_\_\_\_  
 Orange \_\_\_\_\_  
 Orange Peel Bitter \_\_\_\_\_  
 Orange Peel Compound \_\_\_\_\_  
 Orange Peel Sweet for Syrup \_\_\_\_\_  
 Orange Peel Sweet \_\_\_\_\_  
 Orris Root \_\_\_\_\_  
 Orthoxicol \_\_\_\_\_  
 Orthoxine Hydrochloride \_\_\_\_\_  
 Osmo \_\_\_\_\_

Extr \_\_\_\_\_97----09  
 Tc \_\_\_\_\_99-----50  
 FE \_\_\_\_\_99----09  
 FE \_\_\_\_\_97-----22  
 Tc \_\_\_\_\_99-----50  
 FE \_\_\_\_\_97-----14  
 Tc \_\_\_\_\_00-----25  
 Mixture \_\_\_\_\_20-----50  
 Soln \_\_\_\_\_42--50  
 Elix \_\_\_\_\_99-----14  
 FE \_\_\_\_\_97-----33  
 FE \_\_\_\_\_99-----25  
 FE \_\_\_\_\_97----08  
 Tc \_\_\_\_\_02-----20  
 FE \_\_\_\_\_99-----14  
 Syr \_\_\_\_\_49-50  
 Syr \_\_\_\_\_49-50  
 Elix \_\_\_\_\_00 only

Palmo--Dionin \_\_\_\_\_  
 Pansy \_\_\_\_\_  
 Paraldehyde \_\_\_\_\_  
 Pareira Brava \_\_\_\_\_  
 Parsley Root \_\_\_\_\_  
 Passiflora Bromide & Valerian Compound \_\_\_\_\_  
 Passiflora Compound RxB \_\_\_\_\_  
 Passion Flower \_\_\_\_\_  
 Pectoralis (Bateman's) \_\_\_\_\_  
 Penicillin 1M Calcium \_\_\_\_\_  
 Penicillin Potassium 100 M \_\_\_\_\_  
 Penicillin Calcium 1 M \_\_\_\_\_  
 Pennyroyal \_\_\_\_\_  
 Pentacresol \_\_\_\_\_  
 Pentacresol Instrument Disinfecting \_\_\_\_\_

Syr \_\_\_\_\_02-----50  
 FE \_\_\_\_\_99----10  
 Elix \_\_\_\_\_00-----23  
 FE \_\_\_\_\_97-----28  
 FE \_\_\_\_\_99-----14  
 Elix \_\_\_\_\_39--46  
 Elix \_\_\_\_\_23----37  
 FE \_\_\_\_\_99-----42  
 Tc \_\_\_\_\_10-4  
 Oint \_\_\_\_\_48-50  
 O Oint \_\_\_\_\_49-50  
 O Oint \_\_\_\_\_48-50  
 FE \_\_\_\_\_99----10  
 Soln \_\_\_\_\_35 only  
 Soln \_\_\_\_\_42--50



Pentacresol Lubricating Jelly \_\_\_\_\_  
 Peppermint \_\_\_\_\_  
 Pepsin \_\_\_\_\_  
 Pepsin \_\_\_\_\_  
 Pepsin \_\_\_\_\_  
 Pepsin Compound NF \_\_\_\_\_  
     Lactated Pepsin  
 Pepsin & Bismuth \_\_\_\_\_  
 Pepsin Bismuth & Iron \_\_\_\_\_  
 Pepsin Bismuth & Strychnine \_\_\_\_\_  
 Pepsin Bismuth Strychnine & Iron \_\_\_\_\_  
 Pepsin Iron & Strychnine \_\_\_\_\_  
 Pepsin Powder Compound \_\_\_\_\_  
 Pepsin Powder Compound & Bismuth \_\_\_\_\_  
 Pepsin Powder Compound Bismuth & Strychnine \_\_\_\_\_  
 Pepsin Powder Compound with Gentian & Iron Chloride \_\_\_\_\_  
 Peptonate Iron & Manganese \_\_\_\_\_  
 Peptonate Iron & Manganese Arsenated \_\_\_\_\_  
 Peptonate Iron & Manganese with Cod Liver Oil \_\_\_\_\_  
 Phenacaine Hydrochloride 2% \_\_\_\_\_  
 Phenacaine Hydrochloride 2% Mercarbolid \_\_\_\_\_  
 Phenacaine & Epinephrine \_\_\_\_\_  
 Phenobarbital \_\_\_\_\_  
 Phenobarbital NO \_\_\_\_\_  
 Phenol-Tannin Compound \_\_\_\_\_  
     Hemorrhoidal  
 Phenosorcine \_\_\_\_\_  
 Phosphates & Calisaya \_\_\_\_\_  
 Phosphates Compound \_\_\_\_\_  
     Chemical Food  
 Phosphates Compound with Quinine Muriate \_\_\_\_\_  
 Phosphates Compound with Quinine & Strychnine \_\_\_\_\_  
 Phospho-Glycerin Compound \_\_\_\_\_  
 Phosphorous \_\_\_\_\_  
 Phosphorous & Nux Vomica \_\_\_\_\_  
 Phosphorous Nux Vomica & Damiana \_\_\_\_\_  
 Physostigma \_\_\_\_\_  
 Physostigma \_\_\_\_\_  
 Physostigma \_\_\_\_\_  
 Phytolacca (Berries) \_\_\_\_\_  
 Phytolacca (Root) \_\_\_\_\_

Oint \_\_\_\_\_36-----50  
 FE \_\_\_\_\_99-----10  
 Elix \_\_\_\_\_99-----14  
 Cordial \_\_\_\_\_00-----14  
 Wine \_\_\_\_\_99-----14  
 Elix \_\_\_\_\_39-----50  
  
 Elix \_\_\_\_\_99-----31  
 Elix \_\_\_\_\_99-----22 31 only  
 Elix \_\_\_\_\_99-----29  
 Elix \_\_\_\_\_99-----23  
 Elix \_\_\_\_\_99-----22  
 Elix \_\_\_\_\_99-04  
 Elix \_\_\_\_\_99-04  
 Elix \_\_\_\_\_99-04  
 Elix \_\_\_\_\_99-04  
 Soln \_\_\_\_\_00-----50  
 Soln \_\_\_\_\_07-----46  
 Soln \_\_\_\_\_00--09  
 O Oint \_\_\_\_\_46-8  
 O Oint \_\_\_\_\_46-50  
 O Oint \_\_\_\_\_31-----50  
 Elix \_\_\_\_\_31-----50  
 Elix \_\_\_\_\_44-----50  
 Oint \_\_\_\_\_16-----50  
  
 Oint \_\_\_\_\_02-----46  
 Elix \_\_\_\_\_99-----25  
 Syr \_\_\_\_\_99-----23  
  
 Syr \_\_\_\_\_99-04  
 Syr \_\_\_\_\_05-----22  
 Soln \_\_\_\_\_02-----50  
 Elix \_\_\_\_\_99-----14  
 Elix \_\_\_\_\_99-----22  
 Elix \_\_\_\_\_10-----23  
 Extr \_\_\_\_\_97-----09  
 FE \_\_\_\_\_97-----22  
 Te \_\_\_\_\_10-----23  
 FE \_\_\_\_\_99-----23  
 FE \_\_\_\_\_97-----42

Pichi (Fabiana) \_\_\_\_\_  
 Pilocarpus \_\_\_\_\_  
 Plantain Leaves \_\_\_\_\_  
 Podophyllin (resin) \_\_\_\_\_  
 Podophyllum \_\_\_\_\_  
 Podophyllum Compound \_\_\_\_\_  
 Poison Oak \_\_\_\_\_  
 Poke Root \_\_\_\_\_  
 Polysulfides Compound Upjohn \_\_\_\_\_  
 Poppy Compound \_\_\_\_\_  
 Potassium Arsenite \_\_\_\_\_  
 Potassium Bromide \_\_\_\_\_  
 Potassium Bromide & Chloral Hydrate \_\_\_\_\_  
 Prickly Ash Bark \_\_\_\_\_  
 Pulsatilla \_\_\_\_\_  
 Pulsatilla \_\_\_\_\_  
 Pulsatilla \_\_\_\_\_  
 Pumpkin Seeds \_\_\_\_\_  
 Pyrrolazote \_\_\_\_\_

FE \_\_\_\_\_99-----33  
 FE \_\_\_\_\_97-----33  
 FE \_\_\_\_\_99-----14  
 Extr \_\_\_\_\_97---09  
 FE \_\_\_\_\_97-----42  
 FE \_\_\_\_\_99-----14  
 FE \_\_\_\_\_99-----25  
 Extr \_\_\_\_\_97---09  
 Oint \_\_\_\_\_25-----50  
 Elix \_\_\_\_\_10-----33  
 Soln \_\_\_\_\_14-----48  
 Elix \_\_\_\_\_99-----42  
 Elix \_\_\_\_\_99-----22  
 Extr \_\_\_\_\_97---09  
 Extr \_\_\_\_\_97---07  
 FE \_\_\_\_\_97-----42  
 Tc \_\_\_\_\_05-----23  
 FE \_\_\_\_\_99-----14  
 Elix \_\_\_\_\_49-50

Quassia \_\_\_\_\_  
 Quassia \_\_\_\_\_  
 Quassia \_\_\_\_\_  
 Quatresin 1:1000 \_\_\_\_\_  
 Quatresin 1:500 \_\_\_\_\_  
 Quebracho \_\_\_\_\_  
 Queen of the Meadow \_\_\_\_\_  
 Quinine Sulfate \_\_\_\_\_  
 Quinine & Strychnine \_\_\_\_\_  
 Quinine Tasteless \_\_\_\_\_

Extr \_\_\_\_\_97---09  
 FE \_\_\_\_\_97-----42  
 Tc \_\_\_\_\_10-----42  
 Soln \_\_\_\_\_48 only  
 Tc \_\_\_\_\_48 only  
 FE \_\_\_\_\_99-----23  
 FE \_\_\_\_\_97-----25  
 Elix \_\_\_\_\_99---09  
 Elix \_\_\_\_\_99-----22  
 Syr \_\_\_\_\_03-7

Racephedrine 1% in Ringer's \_\_\_\_\_  
 Ragweed \_\_\_\_\_  
 Raspberry NF \_\_\_\_\_  
 Red Gum \_\_\_\_\_  
 Red Oak Bark \_\_\_\_\_  
 Rhatany \_\_\_\_\_  
 Rhubarb \_\_\_\_\_  
 Rhubarb \_\_\_\_\_  
 Rhubarb \_\_\_\_\_  
 Rhubarb Aromatic \_\_\_\_\_  
 Rhubarb Aromatic \_\_\_\_\_  
 Rhubarb Aromatic \_\_\_\_\_  
 Rhubarb Compound NF \_\_\_\_\_  
 Rhubarb & Soda \_\_\_\_\_  
 Rhubarb & Potassium Compound \_\_\_\_\_  
 Rhubarb & Senna \_\_\_\_\_  
 Rhubarb Sweet \_\_\_\_\_  
 Rhus Aromatica \_\_\_\_\_  
 Rose Soluble Synthetic \_\_\_\_\_  
 Rosin Weed \_\_\_\_\_  
 Rubus \_\_\_\_\_  
 Rubus Compound \_\_\_\_\_  
 Rumex \_\_\_\_\_  
 Rumex Compound \_\_\_\_\_

Soln \_\_\_\_\_ 42--50  
 FE \_\_\_\_\_ 99-----14  
 Syr \_\_\_\_\_ 39-42  
 FE \_\_\_\_\_ 00--08  
 FE \_\_\_\_\_ 99-----14  
 Extr \_\_\_\_\_ 97----09  
 Extr \_\_\_\_\_ 97----09  
 FE \_\_\_\_\_ 97-----48  
 Tc \_\_\_\_\_ 02-----36  
 Syr \_\_\_\_\_ 05-----42  
 FE \_\_\_\_\_ 97-----42  
 Tc \_\_\_\_\_ 10-----42  
 Syr \_\_\_\_\_ 99-----48  
 Tc \_\_\_\_\_ 37-42  
 Mixture \_\_\_\_\_ 36-----50  
 FE \_\_\_\_\_ 99----10  
 FE \_\_\_\_\_ 99-----14  
 FE \_\_\_\_\_ 99-----14  
 FE \_\_\_\_\_ 97-----42  
 FE \_\_\_\_\_ 08-----44  
 FE \_\_\_\_\_ 97-----14  
 FE \_\_\_\_\_ 97-----33  
 FE \_\_\_\_\_ 00-----14  
 FE \_\_\_\_\_ 97-----33  
 FE \_\_\_\_\_ 99-----14



Sabal \_\_\_\_\_  
 Sabal Compound \_\_\_\_\_  
 Sage \_\_\_\_\_  
 Salioresin Cream \_\_\_\_\_  
 Salioresin \_\_\_\_\_  
 Salicylic Acid \_\_\_\_\_  
 Salicylic Acid Compound \_\_\_\_\_  
 Salicylic Acid & Gelsemium Compound \_\_\_\_\_  
 Sandalwood \_\_\_\_\_  
 Sanguinaria \_\_\_\_\_  
 Sanguinaria \_\_\_\_\_  
 Sanguinaria \_\_\_\_\_  
 Santonin Soda & Casarea Compound \_\_\_\_\_  
 Sarsaparilla \_\_\_\_\_  
 Sarsaparilla \_\_\_\_\_  
 Sarsaparilla \_\_\_\_\_  
 Sarsaparilla Compound \_\_\_\_\_  
 Sarsaparilla Compound for Syrup \_\_\_\_\_  
 Sarsaparilla Compound \_\_\_\_\_  
 Sarsaparilla & Calcium Iodide \_\_\_\_\_  
 Sarsaparilla Compound with Potassium Iodide \_\_\_\_\_  
 Sassafras \_\_\_\_\_  
 Saw Palmetto Berry \_\_\_\_\_  
 Saw Palmetto & Couch Grass Compound \_\_\_\_\_  
 Saw Palmetto & Couch Grass Compound  
     with Strychnine Nitrate \_\_\_\_\_  
 Saw Palmetto with Hypophosphites \_\_\_\_\_  
 Saw Palmetto & Sandalwood Compound \_\_\_\_\_  
 Saw Palmetto, Santal & Corn Silk #2 \_\_\_\_\_  
 Scarlet Red \_\_\_\_\_  
 Scoparius \_\_\_\_\_  
 Scullcap \_\_\_\_\_  
 Scutellaria \_\_\_\_\_  
 Scutellaria Compound \_\_\_\_\_  
 Sedative \_\_\_\_\_  
 Senega \_\_\_\_\_  
 Senna \_\_\_\_\_  
 Senna, Chenopodium & Tartrate Compound \_\_\_\_\_  
     Senna Compound  
     Senalax  
     Corrective Syrup for Children

FE \_\_\_\_\_97-----42  
 FE \_\_\_\_\_99-----14  
 FE \_\_\_\_\_99-----10  
 Oint \_\_\_\_\_46-50  
 Fluid \_\_\_\_\_46-50  
 Elix \_\_\_\_\_99-----22  
 Elix \_\_\_\_\_99-----39  
 Elix \_\_\_\_\_42--50  
 FE \_\_\_\_\_99-----23  
 Extr \_\_\_\_\_97---09  
 FE \_\_\_\_\_97-----42  
 Te \_\_\_\_\_10-----42  
 Syr \_\_\_\_\_08-----50  
 Extr \_\_\_\_\_97---09  
 FE \_\_\_\_\_97-----42  
 Syr \_\_\_\_\_99-----29  
 FE \_\_\_\_\_97-----46  
 FE \_\_\_\_\_97-----48  
 Syr \_\_\_\_\_05-----49  
 Syr \_\_\_\_\_99-----29  
 Syr \_\_\_\_\_99-----23  
 FE \_\_\_\_\_99-----23  
 Te \_\_\_\_\_10---23  
 Elix \_\_\_\_\_00-----37  
  
 Elix \_\_\_\_\_05-----25  
 Syr \_\_\_\_\_99-----14  
 Elix \_\_\_\_\_14-----39  
 Elix \_\_\_\_\_42--50  
 Oint \_\_\_\_\_14---25  
 FE \_\_\_\_\_01-----29  
 Extr \_\_\_\_\_97---09  
 FE \_\_\_\_\_97-----33  
 FE \_\_\_\_\_99-----14  
 Cordial \_\_\_\_\_99-----42U  
 FE \_\_\_\_\_97-----46  
 FE \_\_\_\_\_97-----46  
 Syr \_\_\_\_\_03-----42

Senna Compound \_\_\_\_\_  
 Senna & Jalap \_\_\_\_\_  
 Serenoa & Sandalwood Compound NF \_\_\_\_\_  
 Serpentaria \_\_\_\_\_  
 Shepherd's Purse \_\_\_\_\_  
 Silloid 5% \_\_\_\_\_  
 Silloid 10% \_\_\_\_\_  
 Six Hypophosphites Clear \_\_\_\_\_  
     Hypophosphites Compound Hematic Clear \_\_\_\_\_  
 Skunk Cabbage \_\_\_\_\_  
 Soap Tree Bark \_\_\_\_\_  
 Sodium Bromide \_\_\_\_\_  
 Sodium Hypophosphite \_\_\_\_\_  
 Sodium Phosphate \_\_\_\_\_  
     Sodium Phosphate Compound \_\_\_\_\_  
 Sodium Phosphate Compound with Iron Chloride \_\_\_\_\_  
 Sodium Salicylate \_\_\_\_\_  
 Sodium Salicylate Compound #1 \_\_\_\_\_  
 Sodium Salicylate Colchicum Compound \_\_\_\_\_  
 Solanum \_\_\_\_\_  
 Solidified Liniment \_\_\_\_\_  
 Special Cough Formula (Yellow) 17600 \_\_\_\_\_  
 Special Cough Formula (Red) 17750 \_\_\_\_\_  
 Special Cough Formula (Orange) with Codeine 17820 \_\_\_\_\_  
 Special Formula 17825 \_\_\_\_\_  
 Special Formula 17826 \_\_\_\_\_  
 Special Formula 17835 \_\_\_\_\_  
 Special Formula RxB \_\_\_\_\_  
 Spigelia \_\_\_\_\_  
 Spigelia & Senna \_\_\_\_\_  
 Spikenard \_\_\_\_\_  
 Squaw Vine Compound \_\_\_\_\_  
     Mother's Cordial \_\_\_\_\_  
 Squill \_\_\_\_\_  
 Squill \_\_\_\_\_  
 Squill Compound \_\_\_\_\_  
 Squill Compound \_\_\_\_\_  
 Stavesacre \_\_\_\_\_  
 Stilbestrol \_\_\_\_\_  
 Stillingia \_\_\_\_\_  
 Stillingia \_\_\_\_\_  
 Stillingia Compound \_\_\_\_\_

FE \_\_\_\_\_97-----10  
 FE \_\_\_\_\_99-----10  
 Elix \_\_\_\_\_39--46  
 FE \_\_\_\_\_97-----29  
 FE \_\_\_\_\_05-----23  
 O Oint \_\_\_\_\_23-----46  
 O Oint \_\_\_\_\_23-----46  
 Syr \_\_\_\_\_99-----50  
  
 FE \_\_\_\_\_99-----42  
 FE \_\_\_\_\_99-----33  
 Elix \_\_\_\_\_99-----50  
 Syr \_\_\_\_\_99----10  
 Soln \_\_\_\_\_00-----50  
  
 Soln \_\_\_\_\_01-----28  
 Elix \_\_\_\_\_99-----23      39-42  
 Elix \_\_\_\_\_00-----39  
 Elix \_\_\_\_\_42 only  
 FE \_\_\_\_\_04-----33  
 Oint \_\_\_\_\_14-----50  
 Syr \_\_\_\_\_33-----50U  
 Syr \_\_\_\_\_33-----50U  
 Syr \_\_\_\_\_48-50  
 Syr \_\_\_\_\_42--50U  
 Fluid \_\_\_\_\_42-48U  
 Fluid \_\_\_\_\_42 only  
 Elix \_\_\_\_\_33----44U  
 FE \_\_\_\_\_97-----14  
 Fluid \_\_\_\_\_97-----33  
 FE \_\_\_\_\_99----10  
 Syr \_\_\_\_\_99-----22  
  
 FE \_\_\_\_\_97-----46  
 Syr \_\_\_\_\_99-----42  
 FE \_\_\_\_\_99-----42  
 Syr \_\_\_\_\_99-----42  
 FE \_\_\_\_\_99-----23  
 Supp \_\_\_\_\_42 only  
 Extr \_\_\_\_\_97----09  
 FE \_\_\_\_\_97-----42  
 FE \_\_\_\_\_97-----33



Stillingia Compound \_\_\_\_\_  
 Stimulating \_\_\_\_\_  
 Stone Root \_\_\_\_\_  
 Stramonium Leaves \_\_\_\_\_  
 Stramonium (Leaves) \_\_\_\_\_  
 Stramonium \_\_\_\_\_  
 Stramonium Seed \_\_\_\_\_  
 Stramonium Seed \_\_\_\_\_  
 Strophanthus \_\_\_\_\_  
 Strychnine Acetate \_\_\_\_\_  
     Hall's Solution \_\_\_\_\_  
 Sulfadiazine 5% \_\_\_\_\_  
 Sulfathiazole 5% \_\_\_\_\_  
 Sulfathiazole 5% \_\_\_\_\_  
 Sulfathiazole Cream 5% \_\_\_\_\_  
 Sulfathiazole Cream 10% \_\_\_\_\_  
 Sulfathiazole Cream 20% \_\_\_\_\_  
 Sulfathiazole 3% with Epinephrine 1:8000 \_\_\_\_\_  
 Sulfocarbolates, Bismuth and Salol Compound  
     with Codeine \_\_\_\_\_  
     Cholera Infantum \_\_\_\_\_  
     Sulphocarbolates Compound #1 \_\_\_\_\_  
 Sulfur 15% \_\_\_\_\_  
 Sulfur USP \_\_\_\_\_  
 Sulfur Compound NF \_\_\_\_\_  
 Sulfur-Salicylic (Sulfur Compound) \_\_\_\_\_  
 Sulphocarbolates Compound #2 \_\_\_\_\_  
     Cholera Infantum Exempt (See Sulfocarbolates) \_\_\_\_\_  
 Sumbul \_\_\_\_\_  
 Sumbul Compound \_\_\_\_\_  
 Super A Vitamin Concentrated \_\_\_\_\_  
 Super D Cod Liver Oil \_\_\_\_\_  
 Super D Concentrate \_\_\_\_\_  
 Super D with Malt \_\_\_\_\_

Syr \_\_\_\_\_99-----23  
 Liniment \_\_\_\_\_14-----50  
 FE \_\_\_\_\_00-----33  
 Extr \_\_\_\_\_97---07  
 FE \_\_\_\_\_97-----46  
 Tc \_\_\_\_\_10---23  
 Extr \_\_\_\_\_97---09  
 FE \_\_\_\_\_97-----23  
 Tc \_\_\_\_\_99-----42  
 Soln \_\_\_\_\_14--23  
  
 O Oint \_\_\_\_\_46-50  
 Oint \_\_\_\_\_44-50  
 O Oint \_\_\_\_\_44-50  
 Oint \_\_\_\_\_46-50  
 Oint \_\_\_\_\_44-50  
 Oint \_\_\_\_\_44-50  
 O Oint \_\_\_\_\_46-50  
  
 Mixture \_\_\_\_\_14-----42  
  
 Oint \_\_\_\_\_31---42  
 Oint \_\_\_\_\_39---50  
 Oint \_\_\_\_\_39-42  
 Oint \_\_\_\_\_05-----46  
 Mixture \_\_\_\_\_20-----39  
  
 FE \_\_\_\_\_99-----33  
 Elix \_\_\_\_\_99-----33  
 Fluid \_\_\_\_\_42--50  
 Fluid \_\_\_\_\_29-----50  
 Fluid \_\_\_\_\_33-----50  
 Fluid \_\_\_\_\_31---42



Suppositories Globular, No. 1,	Boracic Acid, 5 grs.——	Supp	—87 only
Suppositories Globular, No. 2,	Boric Acid, Tannic Acid aa 2½ grs.——	Supp	—87 only
Suppositories Globular, No. 3,	Boric Acid, 3 grs. Lead Acetate, 2 grs.——	Supp	—87 only
Suppositories Globular, No. 4,	Boric Acid, 3 grs. Lead Acetate, 1 gr. Opium, 1 gr.——	Supp	—87 only
Suppositories Globular, No. 5,	Boric Acid, 3 grs. Zinc Sulfate, 2 grs.——	Supp	—87 only
Suppositories Globular, No. 6,	Boric Acid, 3 grs. Zinc Sulfate, 2 grs. Morphine sulfate, ¼ gr.——	Supp	—87 only
Suppositories Globular, No. 7,	Boric Acid, 3 grs. Ferric Alum, 2 grs.——	Supp	—87 only
Suppositories Globular, No. 8,	Boric Acid Ferric Alum, 2 grs.——	Supp	—87 only
Suppositories Globular, No. 8,	Boric Acid Potassium Chlorate aa 2 grs. Hydrastin, 1/16 gr. Tannic Acid, 2 grs.——	Supp	—87 only
Suppositories Globular, No. 9,	Powder galls, 3 grs. Powder Opium, 1 gr. Powder Camphor, 1 gr. Oil Erigeron ½ gr.——	Supp	—87 only
For Hemorrhoids			
Suppositories Globular, No. 10,	Boric Acid, 5 grs. Morphine Sulfate, ¼ gr.——	Supp	—87 only
Suppositories Globular, No. 11,	Boric Acid, 5 grs. Morphine Sulfate, ¼ gr. Atropine sulfate, 1/100 gr.——	Supp	—87 only
Suppositories Globular, No. 12,	Boric Acid, 5 grs. Atropine Sulfate, 1/100 gr.——	Supp	—87 only

Tag Alder \_\_\_\_\_  
 Tamarac Bark \_\_\_\_\_  
 Tannic Acid \_\_\_\_\_  
 Tannic Acid & Sulfadiazine Gel \_\_\_\_\_  
 Tansy \_\_\_\_\_  
 Tar \_\_\_\_\_  
 Tar \_\_\_\_\_  
 Tar Soluble \_\_\_\_\_  
 Taralba B \_\_\_\_\_  
 Taralba C \_\_\_\_\_  
 Taraxacum \_\_\_\_\_  
 Taraxacum (differs in alcoholic content) \_\_\_\_\_  
 Teleostol \_\_\_\_\_  
 Teleostol Dräps \_\_\_\_\_  
 Terpin Hydrate \_\_\_\_\_  
 Terpin Hydrate Compound \_\_\_\_\_  
 Terpin Hydrate & Codeine NF \_\_\_\_\_  
 Terpin Hydrate & Codeine Sulfate Upjohn \_\_\_\_\_  
 Terpin Hydrate & Creosote Compound \_\_\_\_\_  
 Terraplasm (Poultice) \_\_\_\_\_  
 Theophyllin \_\_\_\_\_  
 Theophyllin & Cyclopal \_\_\_\_\_  
 Thiamin Hydrochloride \_\_\_\_\_  
 Thioma \_\_\_\_\_  
 Three Bromides \_\_\_\_\_  
 Three Bromides NF \_\_\_\_\_  
 Thuja \_\_\_\_\_  
 Thymo-Lyptol \_\_\_\_\_  
 Tolu \_\_\_\_\_  
 Tolu \_\_\_\_\_  
 Tolu Soluble for syrup \_\_\_\_\_  
 Tonga \_\_\_\_\_  
 Tonga Compound \_\_\_\_\_  
 Tonga Salicylate Compound \_\_\_\_\_  
     Tonga Compound \_\_\_\_\_  
 Tonka Bean \_\_\_\_\_  
 Trifolium \_\_\_\_\_  
 Trifolium Compound \_\_\_\_\_  
 Trifolium Compound \_\_\_\_\_

FE \_\_\_\_\_99-----14  
 FE \_\_\_\_\_99-----14  
 Oint \_\_\_\_\_33-----50  
 Supp \_\_\_\_\_33-----50  
 Oint \_\_\_\_\_36-----50  
 Oint \_\_\_\_\_44 only  
 FE \_\_\_\_\_99----10  
 Syr \_\_\_\_\_99-----25  
 Wine \_\_\_\_\_99-----14  
 FE \_\_\_\_\_99-----39  
 Oint \_\_\_\_\_29-----50  
 Oint \_\_\_\_\_29-----50  
 FE \_\_\_\_\_97-----42  
 FE \_\_\_\_\_10-4  
 Fluid \_\_\_\_\_42-6  
 Fluid \_\_\_\_\_42-50  
 Elix \_\_\_\_\_20 only 36-----50  
 Elix \_\_\_\_\_00-----33  
 Elix \_\_\_\_\_00-----50  
 Elix \_\_\_\_\_36-----50  
 Elix \_\_\_\_\_36-----50  
 Oint \_\_\_\_\_02-----25  
 Supp \_\_\_\_\_48-50  
 Supp \_\_\_\_\_48-50  
 Elix \_\_\_\_\_42-50  
 Oint \_\_\_\_\_42-6  
 Elix \_\_\_\_\_36-9  
 Elix \_\_\_\_\_39-----50  
 FE \_\_\_\_\_00-----33  
 Soln \_\_\_\_\_03-----46  
 Tc \_\_\_\_\_10-----42  
 Syr \_\_\_\_\_99-----50  
 FE \_\_\_\_\_99-----48  
 FE \_\_\_\_\_05-----42  
 FE \_\_\_\_\_25-31  
 Fluid \_\_\_\_\_04-----50  
  
 FE \_\_\_\_\_99-----14  
 FE \_\_\_\_\_97-----29  
 FE \_\_\_\_\_99-----42  
 Syr \_\_\_\_\_99-----39

Trifolium Iodide Compound \_\_\_\_\_  
 Triticum \_\_\_\_\_  
 Tulip Tree Bark \_\_\_\_\_  
 Turkey Corn \_\_\_\_\_  
 Turmeric \_\_\_\_\_  
 Ty-mo-rol \_\_\_\_\_

Syr \_\_\_\_\_ 42-6  
 FE \_\_\_\_\_ 97-----42  
 FE \_\_\_\_\_ 99-----14  
 FE \_\_\_\_\_ 99-----14  
 FE \_\_\_\_\_ 99-----10  
 Soln \_\_\_\_\_ 99-----42

Urestrin \_\_\_\_\_  
 Urestrin & Vitamin B \_\_\_\_\_  
 Ustilago Maydis \_\_\_\_\_  
     Corn Ergot  
 Uterine Tonic Compound #2 \_\_\_\_\_  
 Uva Ursi \_\_\_\_\_

Elix \_\_\_\_\_ 44-50  
 Syr \_\_\_\_\_ 48-50  
 FE \_\_\_\_\_ 99-----10  
  
 Soln \_\_\_\_\_ 14-----29  
 FE \_\_\_\_\_ 97-----42

Valerian \_\_\_\_\_  
 Valerian \_\_\_\_\_  
 Valerian \_\_\_\_\_  
 Vanilla \_\_\_\_\_  
 Vanilla & Vanillin Compound \_\_\_\_\_  
     Vanillin Compound  
     Van & Tonka Compound  
 Vapo-Glycine \_\_\_\_\_  
 Veratrum Viride \_\_\_\_\_  
 Veratrum Viride \_\_\_\_\_  
 Verdantol \_\_\_\_\_  
 Vervain \_\_\_\_\_  
 Viburnum Aletris & Trillium \_\_\_\_\_  
 Viburnum Compound \_\_\_\_\_

Extr \_\_\_\_\_ 97---07  
 FE \_\_\_\_\_ 97-----46  
 To \_\_\_\_\_ 02-----48  
 To \_\_\_\_\_ 10-----48  
 Soln \_\_\_\_\_ 10---20  
  
 Nebulol \_\_\_\_\_ 07--14  
 FE \_\_\_\_\_ 97-----33  
 To \_\_\_\_\_ 99-----42  
 Oint \_\_\_\_\_ 33-----50  
 FE \_\_\_\_\_ 99-----10  
 Elix \_\_\_\_\_ 42-6  
 FE \_\_\_\_\_ 99-----42



Viburnum Compound \_\_\_\_\_  
 Viburnum-Hydrastis Compound \_\_\_\_\_  
     Uterine Tonic Compound \_\_\_\_\_  
     Viburnum-Hydrastis and Bromine Compound \_\_\_\_\_  
 Viburnum Opulus \_\_\_\_\_  
 Viburnum Opulus Compound \_\_\_\_\_  
 Viburnum Prunifolium \_\_\_\_\_  
 Vin-carnol \_\_\_\_\_  
 Vitamin K concentrate in oil \_\_\_\_\_  
 Vitikon \_\_\_\_\_  
 Vitrate \_\_\_\_\_

Elix \_\_\_\_\_99-----39  
 Soln \_\_\_\_\_05-----46  
  
 FE \_\_\_\_\_97-----42  
 Elix \_\_\_\_\_39 only  
 FE \_\_\_\_\_97-----46  
 Wine \_\_\_\_\_04-----20  
 Fluid \_\_\_\_\_42 only  
 Fluid \_\_\_\_\_44-50  
 Fluid \_\_\_\_\_36-----50

Wafer Ash \_\_\_\_\_  
 Wahoo \_\_\_\_\_  
 Wahoo \_\_\_\_\_  
 Warburg (Extract) \_\_\_\_\_  
 Warburg's \_\_\_\_\_  
     Anti-Periodic \_\_\_\_\_  
 Warburg without Aloe Extract \_\_\_\_\_  
 Warburg without Aloe \_\_\_\_\_  
 Watermelon Seed \_\_\_\_\_  
 Water Pepper \_\_\_\_\_  
 Wheat Germ Oil \_\_\_\_\_  
 White Bryony \_\_\_\_\_  
 White Indian Hemp \_\_\_\_\_  
 White \_\_\_\_\_  
 White Pine Bark \_\_\_\_\_  
 White Pine Compound for Syrup \_\_\_\_\_  
 White Pine Compound \_\_\_\_\_  
 White Pine Compound with Codeine \_\_\_\_\_  
 White Pine Compound Mentholated \_\_\_\_\_  
 White Pine Compound with Morphine for Syrup \_\_\_\_\_  
 White Pine Compound with Morphine \_\_\_\_\_  
 White Pine Compound with Tar \_\_\_\_\_  
 White Pond Lily \_\_\_\_\_  
 White Poplar Bark \_\_\_\_\_

FE \_\_\_\_\_99----10  
 Extr \_\_\_\_\_97----09  
 Elix \_\_\_\_\_99----09  
 Te \_\_\_\_\_97----09  
 To \_\_\_\_\_99-----39  
  
 Te \_\_\_\_\_97----09  
 To \_\_\_\_\_99-----42  
 FE \_\_\_\_\_00----14  
 FE \_\_\_\_\_97-----29  
 Fluid \_\_\_\_\_42--50  
 FE \_\_\_\_\_00-----23  
 FE \_\_\_\_\_99----10  
 Liniment \_\_\_\_\_05-7  
 FE \_\_\_\_\_99-----14  
 FE \_\_\_\_\_99-----46  
 Syr \_\_\_\_\_99-----50  
 Syr \_\_\_\_\_99-----42  
 Syr \_\_\_\_\_20-----50  
 FE \_\_\_\_\_17-23  
 Syr \_\_\_\_\_99-----50  
 Syr \_\_\_\_\_99----10 20-----50  
 FE \_\_\_\_\_99----10  
 FE \_\_\_\_\_99-----14

Whitfield's \_\_\_\_\_  
 Wild Cherry \_\_\_\_\_  
 Wild Cherry for Syrup \_\_\_\_\_  
 Wild Cherry \_\_\_\_\_  
 Wild Cherry \_\_\_\_\_  
 Wild Cherry & Amonium Compound No. 1 \_\_\_\_\_  
 Wild Cherry & Ammonium Compound No. 2 \_\_\_\_\_  
 Wild Cherry Detannated \_\_\_\_\_  
 Wild Cherry & Iron \_\_\_\_\_  
 Wild Lettuce \_\_\_\_\_  
 Wintergreen \_\_\_\_\_  
 Witch Hazel \_\_\_\_\_  
 Witch Hazel Aqueous Extract \_\_\_\_\_  
 Wormseed Levant \_\_\_\_\_

Oint \_\_\_\_\_44-50  
 FE \_\_\_\_\_97-----42  
 FE \_\_\_\_\_99-----48  
 Syr \_\_\_\_\_99-----50  
 Wine \_\_\_\_\_99--07  
 Syr \_\_\_\_\_05-----36  
 Syr \_\_\_\_\_20-----36  
 FE \_\_\_\_\_99-----23  
 Wine \_\_\_\_\_99-----14  
 FE \_\_\_\_\_97-----23  
 FE \_\_\_\_\_99-----10  
 Extr \_\_\_\_\_97-----09  
 Soln \_\_\_\_\_14 only  
 FE \_\_\_\_\_99-----22

Xanthoxylum \_\_\_\_\_

FE \_\_\_\_\_97-----42

Yarrow \_\_\_\_\_  
 Yellow Dock \_\_\_\_\_  
 Yellow Pond Lilly \_\_\_\_\_  
 Yerba Buena \_\_\_\_\_  
 Yerba Reuma \_\_\_\_\_  
 Yerba Santa Aromatic for Syrup \_\_\_\_\_

FE \_\_\_\_\_99-----14  
 Extr \_\_\_\_\_97-----09  
 FE \_\_\_\_\_99-----14  
 FE \_\_\_\_\_97-----14  
 FE \_\_\_\_\_97-----14  
 FE \_\_\_\_\_98-----42

Zea \_\_\_\_\_  
 Zinc Oxide \_\_\_\_\_  
 Zinc Oxide 10% \_\_\_\_\_  
 Zinc Oxide Compound \_\_\_\_\_  
     Zinc Oxide Boric Acid Compound \_\_\_\_\_  
 Zinc Sulfate  $\frac{1}{2}$ % \_\_\_\_\_  
 Zinc Sulfide Compound \_\_\_\_\_  
     Acne Lotion \_\_\_\_\_  
 Zinc Sulfide Compound Improved Upjohn \_\_\_\_\_  
 Zinc Valerate \_\_\_\_\_  
 Zylate \_\_\_\_\_  
 Zylate \_\_\_\_\_  
 Zymadrops \_\_\_\_\_  
 Zymatinic Drops \_\_\_\_\_

FE \_\_\_\_\_97\_\_\_\_\_46  
 Oint \_\_\_\_\_05\_\_\_\_\_50  
 O Oint \_\_\_\_\_23--31  
 Oint \_\_\_\_\_02\_\_\_\_\_46  
  
 O Oint \_\_\_\_\_23--31\_\_\_\_\_44-8  
 Lotion \_\_\_\_\_16\_\_\_\_\_50  
  
 Lotion \_\_\_\_\_37-----50  
 Elix \_\_\_\_\_99-----22  
 Soln \_\_\_\_\_44-50  
 Emulsion \_\_\_\_\_49-50  
 Fluid \_\_\_\_\_48-50  
 Fluid \_\_\_\_\_49-50